



Customer Information:

Project Number: 144
System Number: 4
Customer ID:
Name: SAVANNAH BUILDERS LLC
Address: PO BOX 7436
City, State, Zip: EDMOND, OK 73083
Phone: 405 361-2009
Fax: 405 748-4200
Order Date: 12/14/2009
P.O.:
Job Name: LYTLE

Dealer Information:

Name: Grand View Windows and Doors
Address: 2409 N Council Rd
City, State, Zip: Bethany, Ok, 73008
Phone: 405 787-0230
Fax: 405 384-4588

The dealer's placement of an order pursuant to this quote creates an agreement between the dealer and Weather Shield Mfg., Inc. Weather Shield is not a party to any agreement between the dealer and its customer for the sale of these items. Weather Shield's only obligation to the dealer's customer shall be the express written limited warranty. All other obligations to the dealer's customer shall be the dealer's sole responsibility.

Dealer Notes:

Quote Prepared By Gary S Rollins
Contact: Mb405-314-9891
E-mail ..gary@rcompanyinc.com



Grand View Windows and Doors
 2409 N Council Rd
 Bethany, Ok 73008
 Phone: 405 787-0230
 Fax: 405 384-4588

QUOTE: 144

QUOTE DETAIL
 Project Number: 144
 Printed: 12/15/2009 3:52:47 PM

CQ Prj #: 144	System #: 0	Order Date: 12/14/2009	Valid Date: 1/14/2010
Sold To: 4	Dealer Prj #: 144	Ship To: 4	
SAVANNAH BUILDERS LLC	Customer ID:	SAVANNAH BUILDERS LLC	
PO BOX 7436		PO BOX 7436	
EDMOND, OK 73083		EDMOND, OK 73083	

Phone: 405 361-2009	Fax: 405 748-4200	Phone: 405 361-2009	Fax: 405 748-4200
---------------------	-------------------	---------------------	-------------------


Delivery Instructions:

Drop Ship:

Shipping Instructions:

Schield Family Brands. Proposes to Furnish Products as Stated Below.
 All Units viewed from Exterior.

Item Number: 1
 Quantity: 4
 Total Jamb To Jamb: 23 1/2 X 23 1/2
 Total Rough Opening: 24 X 24




Fiberglass Clad
 Direct Set
 Rectangle
 Product ID-5301
 Frame Style-Casement/Awning
 Sizing Method-Jb to Jb/Frame Size
 Individual Jamb Width-23 1/2
 Overall Jamb Width-23 1/2
 Jamb Height-23 1/2
 R/O Width-24
 R/O Height-24
 Glass Width-20 3/4
 Glass Height-20 3/4
 Exterior Color-Brick Red
 Interior Frame Material-Character Alder
 Overall Jamb Depth-4 9/16
 Glass-Zo-E Shield 5
 Gas-Argon

Lite Configuration-SDL
 SDL GIA Material-Adobe Spacer
 Bar Width-7/8
 Bar Material-Character Alder
 Number Lites Wide-2
 Number Lites High-2

PO:
 JOB NAME: LYTLE
 LOCATION: CLOSET

Item Number: 3
 Quantity: 6
 Total Jamb To Jamb: 35 1/2 X 77 1/2
 Total Rough Opening: 36 X 78



Fiberglass Clad
 Double Hung Tilt
 Rectangle
 Product ID-5101
 Product Arrangement-1 Wide
 Sizing Method-Catalog Ordering Size
 Call Out Width-3-0
 Call Out Height-6-6
 Individual R/O Width-36
 Overall R.O. Width-36
 R/O Height-78
 Overall Jamb Width-35 1/2
 Jamb Height-77 1/2
 Glass Width-29 5/8
 Glass Height-35 1/2
 Operating Code-Operating
 Exterior Color-Brick Red
 Interior Frame Material-Character Alder

Overall Jamb Depth-4 9/16
 Glass-Zo-E Shield 5
 Gas-Argon
 Lite Configuration-SDL
 Lite Location-All Sash
 SDL GIA Material-Adobe Spacer
 Bar Width-7/8
 Bar Material-Character Alder
 Number Lites Wide-2
 Number Lite High-2
 Sash Locks-Double
 Hardware Color-Tan
 Screen Color-Brick Red
 Pkg Screens Separately-Yes

PO:
 JOB NAME: LYTLE
 LOCATION: STUDY BED 4 5






Grand View Windows and Doors
 2409 N Council Rd
 Bethany, Ok 73008
 Phone: 405 787-0230
 Fax: 405 384-4588

QUOTE DETAIL
 Project Number: 144
 Printed: 12/15/2009 3:52:47 PM

Item Number: 4
 Quantity: 5
 Total Jamb To Jamb: 35 1/2 X 77 1/2
 Total Rough Opening: 36 X 78




Fiberglass Clad
 Direct Set
 Rectangle
 Product ID-5301
 Frame Style-Casement/Awning
 Sizing Method-Jb to Jb/Frame Size
 Individual Jamb Width-35 1/2
 Overall Jamb Width-35 1/2
 Jamb Height-77 1/2
 R/O Width-36
 R/O Height-78
 Glass Width-32 3/4
 Glass Height-74 3/4
 Exterior Color-Brick Red
 Interior Frame Material-Character Alder
 Overall Jamb Depth-4 9/16
 Glass-Zo-E Shield 5
 Gas-Argon

Lite Configuration-SDL
 SDL GIA Material-Adobe Spacer
 Bar Width-7/8
 Bar Material-Character Alder
 Number Lites Wide-2
 Number Lites High-4

PO:
 JOB NAME: LYTLE
 LOCATION: FRONT GARAGE

Item Number: 5
 Quantity: 1
 Total Jamb To Jamb: 71 1/2 X 77 1/2
 Total Rough Opening: 72 X 78




Fiberglass Clad
 Double Hung Tilt
 Rectangle
 Product ID-5101
 Product Arrangement-2 Wide
 Sizing Method-Catalog Ordering Size
 Call Out Width-3-0
 Call Out Height-6-6
 Individual R/O Width-36
 Overall R.O. Width-72
 R/O Height-78
 Overall Jamb Width-71 1/2
 Jamb Height-77 1/2
 Glass Width-29 5/8
 Glass Height-35 1/2
 Operating Code-Operating
 Exterior Color-Brick Red
 Interior Frame Material-Character Alder

Overall Jamb Depth-4 9/16
 Glass-Zo-E Shield 5
 Gas-Argon
 Lite Configuration-SDL
 Lite Location-All Sash
 SDL GIA Material-Adobe Spacer
 Bar Width-7/8
 Bar Material-Character Alder
 Number Lites Wide-2
 Number Lite High-2
 Sash Locks-Double
 Hardware Color-Tan
 Screen Color-Brick Red
 Pkg Screens Separately-Yes

PO:
 JOB NAME: LYTLE
 LOCATION: BASMT

Item Number: 6
 Quantity: 1
 Total Jamb To Jamb: 31 1/2 X 47 1/2
 Total Rough Opening: 32 X 48



Fiberglass Clad
 Direct Set
 Rectangle
 Product ID-5301
 Frame Style-Casement/Awning
 Sizing Method-Jb to Jb/Frame Size
 Individual Jamb Width-31 1/2
 Overall Jamb Width-31 1/2
 Jamb Height-47 1/2
 R/O Width-32
 R/O Height-48
 Glass Width-28 3/4
 Glass Height-44 3/4
 Exterior Color-Brick Red
 Interior Frame Material-Character Alder
 Overall Jamb Depth-4 9/16
 Glass-Zo-E Shield 5
 Tempered-Yes

Gas-Argon
 Lite Configuration-SDL
 SDL GIA Material-Adobe Spacer
 Bar Width-7/8
 Bar Material-Character Alder
 Number Lites Wide-2
 Number Lites High-2




Grand View Windows and Doors
2409 N Council Rd
Bethany, Ok 73008
Phone: 405 787-0230
Fax: 405 384-4588

QUOTE DETAIL
Project Number: 144
Printed: 12/15/2009 3:52:47 PM

PO:
JOB NAME: LYTLE
LOCATION: FRONT ELEV

Item Number: 7
Quantity: 2
Total Jamb To Jamb: 35 1/2 X 71 1/2
Total Rough Opening: 36 X 72




Fiberglass Clad
Double Hung Tilt
Rectangle
Product ID-5101
Product Arrangement-1 Wide
Sizing Method-Catalog Ordering Size
Call Out Width-3-0
Call Out Height-6-0
Individual R/O Width-36
Overall R.O. Width-36
R/O Height-72
Overall Jamb Width-35 1/2
Jamb Height-71 1/2
Glass Width-29 5/8
Glass Height-32 1/2
Operating Code-Operating
Exterior Color-Brick Red
Interior Frame Material-Character Alder

Overall Jamb Depth-4 9/16
Glass-Zo-E Shield 5
Gas-Argon
Lite Configuration-SDL
Lite Location-All Sash
SDL GIA Material-Adobe Spacer
Bar Width-7/8
Bar Material-Character Alder
Number Lites Wide-2
Number Lite High-2
Sash Locks-Double
Hardware Color-Tan
Screen Color-Brick Red
Pkg Screens Separately-Yes

PO:
JOB NAME: LYTLE
LOCATION: BEDS SALLY LYDA

Item Number: 8
Quantity: 1
Total Jamb To Jamb: 23 1/2 X 35 1/2
Total Rough Opening: 24 X 36



Fiberglass Clad
Direct Set
Rectangle
Product ID-5301
Frame Style-Casement/Awning
Sizing Method-Jb to Jb/Frame Size
Individual Jamb Width-23 1/2
Overall Jamb Width-23 1/2
Jamb Height-35 1/2
R/O Width-24
R/O Height-36
Glass Width-20 3/4
Glass Height-32 3/4
Exterior Color-Brick Red
Interior Frame Material-Character Alder
Overall Jamb Depth-4 9/16
Glass-Zo-E Shield 5
Gas-Argon

Lite Configuration-SDL
SDL GIA Material-Adobe Spacer
Bar Width-7/8
Bar Material-Character Alder
Number Lites Wide-2
Number Lites High-2


PO:
JOB NAME: LYTLE
LOCATION: DRESSING



Grand View Windows and Doors
 2409 N Council Rd
 Bethany, Ok 73008
 Phone: 405 787-0230
 Fax: 405 384-4588

QUOTE DETAIL
 Project Number: 144
 Printed: 12/15/2009 3:52:47 PM

Item Number: 10
 Quantity: 1
 Total Jamb To Jamb: 23 1/2 X 47 1/2
 Total Rough Opening: 24 X 48




Fiberglass Clad
 Double Hung Tilt
 Rectangle
 Product ID-5101
 Product Arrangement-1 Wide
 Sizing Method-Catalog Ordering Size
 Call Out Width-2-0
 Call Out Height-4-0
 Individual R/O Width-24
 Overall R.O. Width-24
 R/O Height-48
 Overall Jamb Width-23 1/2
 Jamb Height-47 1/2
 Glass Width-17 5/8
 Glass Height-20 1/2
 Operating Code-Operating
 Exterior Color-Brick Red
 Interior Frame Material-Character Alder

Overall Jamb Depth-4 9/16
 Glass-Zo-E Shield 5
 Gas-Argon
 Lite Configuration-1 Lite
 Sash Locks-Single
 Hardware Color-Tan
 Screen Color-Brick Red
 Pkg Screens Separately-Yes

PO:
 JOB NAME: LYTLE
 LOCATION: PWDER RM

Item Number: 16
 Quantity: 6
 Total Jamb To Jamb: 29 1/2 X 47 1/2
 Total Rough Opening: 30 X 48




Fiberglass Clad
 Direct Set
 Rectangle
 Product ID-5301
 Frame Style-Casement/Awning
 Sizing Method-Jb to Jb/Frame Size
 Individual Jamb Width-29 1/2
 Overall Jamb Width-29 1/2
 Jamb Height-47 1/2
 R/O Width-30
 R/O Height-48
 Glass Width-26 3/4
 Glass Height-44 3/4
 Exterior Color-Brick Red
 Interior Frame Material-Character Alder
 Overall Jamb Depth-4 9/16
 Glass-Zo-E Shield 5
 Gas-Argon

Lite Configuration-1 Lite

PO:
 JOB NAME: LYTLE
 LOCATION: NOOK

Item Number: 23
 Quantity: 1
 Total Jamb To Jamb: 119 1/2 X 71 1/2
 Total Rough Opening: 120 X 72



Fiberglass Clad
 Casement Picture Comb.
 Rectangle
 Product ID-5201
 Product Arrangement-1 Wide
 Sizing Method-Catalog Ordering Size
 Flanker Call Out Width-2-6
 Center Call Out Width-5-0
 Call Out Height-6-0
 Flanker R/O Width-30
 Center R/O Width-60
 Overall R.O. Width-120
 R/O Height-72
 Flanker Jamb Width-29 1/2
 Center Frame Width-59 1/2
 Overall Jamb Width-119 1/2
 Jamb Height-71 1/2
 Glass Width-55 3/8


Glass Height-67 3/8
 Active Glass Width-25 3/8
 Active Glass Height-67 3/8
 Egress Unit-Yes
 Operating Code-Left
 Operating Code 2-Stationary
 Operating Code 3-Right
 Exterior Color-Brick Red
 Interior Frame Material-Character Alder
 Overall Jamb Depth-4 9/16
 Glass-Zo-E Shield 5
 Gas-Argon
 Lite Configuration-1 Lite
 Hardware Color-Tan
 Screen Color-Tan

Grand View Windows and Doors
2409 N Council Rd
Bethany, Ok 73008
Phone: 405 787-0230
Fax: 405 384-4588

QUOTE DETAIL
Project Number: 144
Printed: 12/15/2009 3:52:47 PM

PO:
JOB NAME: LYTLE
LOCATION: MAST BED

Item Number: 24
Quantity: 1
Total Jamb To Jamb: 35 1/2 X 47 1/2
Total Rough Opening: 36 X 48




Fiberglass Clad
Double Hung Tilt
Rectangle
Product ID-5101
Product Arrangement-1 Wide
Sizing Method-Catalog Ordering Size
Call Out Width-3-0
Call Out Height-4-0
Individual R/O Width-36
Overall R.O. Width-36
R/O Height-48
Overall Jamb Width-35 1/2
Jamb Height-47 1/2
Glass Width-29 5/8
Glass Height-20 1/2
Operating Code-Operating
Exterior Color-Brick Red
Interior Frame Material-Character Alder

Overall Jamb Depth-4 9/16
Glass-Zo-E Shield 5
Gas-Argon
Lite Configuration-1 Lite
Sash Locks-Double
Hardware Color-Tan
Screen Color-Brick Red
Pkg Screens Separately-Yes

PO:
JOB NAME: LYTLE
LOCATION: BAR

Item Number: 27
Quantity: 1
Total Jamb To Jamb: 37 3/8 X 97 29/32
Total Rough Opening: 38 3/8 X 98 13/32



Entrance Doors Set Up
Entrance Door 1 Panel
Rectangle
Door Category-Fiberglass Door
Door Collection-Oak
Call Out Width-3-0
Call Out Height-8-0
Custom Cut Down Height-0
Swing Option-Outswing
Operating Code-Left Hand
Ext Frame Finish-Aluminum Clad
Exterior Finish-Standard Color AAMA 2603
Ext Frame Color-Brick Red
Exterior Casing-No Exterior Casing
Sill Type-Fiberglass Sill
Threshold Type-Fixed
Sill Protector-No Sill Protector
Overall Jamb Depth-4 9/16

Int Frame Material-Stain Grade Pine
Int Frame Stain-No Interior Stain
Panel Type-Flush Glazed Panels
Panel Code-WG1080FG
Panel Glass Style-Non-Decorative Glass
Panel Glass-Zo-E Shield 5
Panel Glass Options-No Glass Tint Option
Gas-Argon
Lite Configuration-1 Lite
Deadbolt Bore-Multi-Point Lock Prep
Lock Options-5 Point Lock
Handle Style-Contemporary
Hardware Finish-Oil Rubbed
Keyed Locks-Keyed Alike
Hinge Type-Standard Butt Hinge
Hinge Finish-Oil Rubbed
Screen-No Screen


PO:
JOB NAME: LYTLE
LOCATION: HALL



Grand View Windows and Doors
 2409 N Council Rd
 Bethany, Ok 73008
 Phone: 405 787-0230
 Fax: 405 384-4588

QUOTE DETAIL
Project Number: 144
Printed: 12/15/2009 3:52:47 PM

Item Number: 28
 Quantity: 1
 Total Jamb To Jamb: 37 3/8 X 97 29/32
 Total Rough Opening: 38 3/8 X 98 13/32



Entrance Doors Set Up
 Entrance Door 1 Panel
 Rectangle
 Door Category-Fiberglass Door
 Door Collection-Rustic
 Call Out Width-3-0
 Call Out Height-8-0
 Custom Cut Down Height-0
 Swing Option-Inswing
 Operating Code-Left Hand
 Ext Frame Finish-Aluminum Clad
 Exterior Finish-Standard Color AAMA 2603
 Ext Frame Color-Brick Red
 Exterior Casing-No Exterior Casing
 Sill Type-Fiberglass Sill
 Threshold Type-Multi-Point
 Sill Protector-No Sill Protector
 Overall Jamb Depth-4 9/16

Int Frame Material-Stain Grade Pine
 Int Frame Stain-No Interior Stain
 Panel Type-No Glass Panels
 Panel Code-RU1P80
 Deadbolt Bore-Multi-Point Lock Prep
 Lock Options-5 Point Lock
 Handle Style-Contemporary
 Hardware Finish-Oil Rubbed
 Keyed Locks-Keyed Random
 Hinge Type-Standard Butt Hinge
 Hinge Finish-Oil Rubbed
 Drill for Peep Site-No Peep Site Prep
 Screen-No Screen

PO:
 JOB NAME: LYTLE
 LOCATION: GARAGE

Item Number: 29
 Quantity: 1
 Total Jamb To Jamb: 37 3/8 X 81 29/32
 Total Rough Opening: 38 3/8 X 82 13/32



Entrance Doors Set Up
 Entrance Door 1 Panel
 Rectangle
 Door Category-Fiberglass Door
 Door Collection-Smooth
 Call Out Width-3-0
 Call Out Height-6-8
 Custom Cut Down Height-0
 Swing Option-Inswing
 Operating Code-Right Hand
 Ext Frame Finish-Aluminum Clad
 Exterior Finish-Standard Color AAMA 2603
 Ext Frame Color-Brick Red
 Exterior Casing-No Exterior Casing
 Sill Type-Fiberglass Sill
 Threshold Type-Adjustable
 Sill Protector-No Sill Protector
 Overall Jamb Depth-4 9/16

Int Frame Material-Stain Grade Pine
 Int Frame Stain-No Interior Stain
 Panel Type-Half Lite Panels
 Panel Code-SF0012
 Panel Glass Style-Non-Decorative Glass
 Panel Glass-Insulated W/Blinds In Airspace
 Panel Glass Options-No Glass Tint Option
 Deadbolt Bore-Double Bore 5 1/2" Ctr to Ctr
 Lock Options-No Lockset
 Handle Style-No Handle
 Backset Boring-2 3/4" Backset
 Hinge Type-Standard Butt Hinge
 Hinge Finish-Oil Rubbed
 Screen-No Screen

Additional Item Comments
 TO DE TEXTURED PNL

PO:
 JOB NAME: LYTLE
 LOCATION: GARAGE





Grand View Windows and Doors
 2409 N Council Rd
 Bethany, Ok 73008
 Phone: 405 787-0230
 Fax: 405 384-4588

QUOTE DETAIL
Project Number: 144
Printed: 12/15/2009 3:52:47 PM

Item Number: 30
 Quantity: 1
 Total Jamb To Jamb: 37 3/8 X 80 29/32
 Total Rough Opening: 38 3/8 X 81 13/32




Entrance Doors Set Up
 Entrance Door 1 Panel
 Rectangle
 Door Category-Fiberglass Door
 Door Collection-Smooth
 Call Out Width-3-0
 Call Out Height-6-8
 Custom Cut Down Height-0
 Swing Option-Inswing
 Operating Code-Right Hand
 Ext Frame Finish-Aluminum Clad
 Exterior Finish-Standard Color AAMA 2603
 Ext Frame Color-Brick Red
 Exterior Casing-No Exterior Casing
 Sill Type-ADA Low Profile Sill
 Overall Jamb Depth-4 9/16
 Int Frame Material-Stain Grade Pine
 Int Frame Stain-No Interior Stain

Panel Type-Half Lite Panels
 Panel Code-SF0012
 Panel Glass Style-Non-Decorative Glass
 Panel Glass-Insulated W/Blinds In Airspace
 Panel Glass Options-No Glass Tint Option
 Deadbolt Bore-Double Bore 5 1/2" Ctr to Ctr
 Lock Options-No Lockset
 Handle Style-No Handle
 Backset Boring-2 3/4" Backset
 Hinge Type-Standard Butt Hinge
 Hinge Finish-Oil Rubbed
 Screen-No Screen

Additional Item Comments
 TO BE TEXTURED PNL

PO:
 JOB NAME: LYTLE
 LOCATION: POOL BATH

Item Number: 31
 Quantity: 1
 Total Jamb To Jamb: 141 29/32 X 97 11/16
 Total Rough Opening: 142 11/16 X 98 3/16



Weather Shield
 Bi-Fold Patio Door 4 Panel
 Rectangle
 Product ID-8607
 Sizing Method-Call Out
 Call Out Width-11-11
 Call Out Height-8-2
 Jamb Width-141 29/32
 Jamb Height-97 11/16
 R/O Width-142 11/16
 R/O Height-98 3/16
 Glass Width-25 1/16
 Glass Height-78 13/16
 Operating Code-4L
 Exterior Frame Finish-Aluminum Clad
 Exterior Panel Finish-Aluminum Clad
 Aluminum Paint Finish-Standard
 Exterior Color-Brick Red

Bottom Rail Option-10 Inch
 Sill Option-Bronze
 Interior Material-Character Alder
 Glass Type-Zo-E Shield 5
 Gas-Inert
 Glazing Bead Type-Flush Bead
 panel Type-2 1/4" Thick Premium Panel
 Lite Configuration-1 Lite
 Hinge Type-Adjustable Hinge
 Hinge Color-Oil Rubbed Bronze
 Frame Assembly-KD

PO:
 JOB NAME: LYTLE
 LOCATION: REAR






Grand View Windows and Doors
 2409 N Council Rd
 Bethany, Ok 73008
 Phone: 405 787-0230
 Fax: 405 384-4588

QUOTE DETAIL
Project Number: 144
Printed: 12/15/2009 3:52:47 PM

Item Number: 32
 Quantity: 1
 Total Jamb To Jamb: 59 1/4 X 96 1/32
 Total Rough Opening: 60 X 96 1/2




Weather Shield
 FD Side Hinge 21 Arbor-70MM
 Rectangle
 Product ID-6510
 Model Number-Style 1
 Sizing Method-Call Out
 Standard Size-Yes
 Call Out Width-5-0
 Call Out Height-8-0
 Jamb Width-59 1/4
 Jamb Height-96 1/32
 R/O Width-60
 R/O Height-96 1/2
 Glass Width-19 1/16
 Glass Height-56 1/8
 Glass Width GL 2-19 1/16
 Glass Height GL 2-20 3/4
 Operating Code-Inswing Right-A
 Exterior Frame Finish-Prime
 Exterior Insert Finish-Prime
 Bottom Rail Option-7 1/2 Inch

Inside Jamb Option-Fingerjoint
 Outside Jamb Option-Fingerjoint
 Glass Type-Zo-E Shield 5
 Glazing Bead Type-Flush Bead
 Gas-Argon
 5 3/16 Center Rail-Yes
 Center Rail Location-30
 Signboard Finish-Prime/Pine
 Lite Configuration-1 Lite
 Lock Options-3 Point Lock System
 Lockset Style-Ashland Arch Top Escutcheon
 Dummy Lockset-Dummy Lockset
 Lockset Location-Standard-36"
 Lockset Color-Oil Rubbed Bronze
 Handle Extension-No
 Keyed Locks-Keyed Alike
 Hinge Type-Adjustable Hinge
 Hinge Color-Oil Rubbed Bronze
 Shoot/Flush Bolts-Manual Flush Bolts
 Screen-No

PO:
 JOB NAME: LYTLE
 LOCATION: REAR

Item Number: 33
 Quantity: 1
 Total Jamb To Jamb: 66 1/4 X 97 29/32
 Total Rough Opening: 67 1/4 X 98 13/32



Entrance Doors Set Up
 Entrance Door 2 Panel
 Rectangle
 Door Category-Fiberglass Door
 Door Collection-Smooth
 Call Out Width-5-4
 Call Out Height-8-0
 Custom Cut Down Height-0
 Swing Option-Outswing
 Door Type-Double Swing
 Operating Code-Left Hand
 Ext Frame Finish-Aluminum Clad
 Exterior Finish-Standard Color AAMA 2603
 Ext Frame Color-Brick Red
 Exterior Casing-No Exterior Casing
 Sill Type-Fiberglass Sill
 Threshold Type-Fixed
 Sill Protector-No Sill Protector
 Overall Jamb Depth-4 9/16

Int Frame Material-Stain Grade Pine
 Int Frame Stain-No Interior Stain
 Panel Type-Full Lite Panels
 Panel Code-SF0080FL
 Panel Glass Style-Non-Decorative Glass
 Panel Glass-Zo-E Shield 5
 Panel Glass Options-No Glass Tint Option
 Gas-Argon
 Lite Configuration-1 Lite
 Cut Style-Colonial
 Deadbolt Bore-Multi-Point Lock Prep
 Lock Options-5 Point Lock
 Handle Style-Contemporary
 Hardware Finish-Oil Rubbed
 Keyed Locks-Keyed Alike
 Hinge Type-Standard Butt Hinge
 Hinge Finish-Oil Rubbed
 Screen-No Screen

Additional Item Comments
 TO BE TEXTURED PNLS..FLUSH GLAZED

PO:
 JOB NAME: LYTLE
 LOCATION: FAMILY RM



Grand View Windows and Doors
 2409 N Council Rd
 Bethany, Ok 73008
 Phone: 405 787-0230
 Fax: 405 384-4588

QUOTE DETAIL
Project Number: 144
Printed: 12/15/2009 3:52:47 PM

Item Number: 36
 Quantity: 1
 Total Jamb To Jamb: 33 3/8 X 97 29/32
 Total Rough Opening: 34 3/8 X 98 13/32




Entrance Doors Set Up
 Entrance Door 1 Panel
 Rectangle
 Door Category-Fiberglass Door
 Door Collection-Smooth
 Call Out Width-2-8
 Call Out Height-8-0
 Custom Cut Down Height-0
 Swing Option-Outswing
 Operating Code-Stationary
 Ext Frame Finish-Aluminum Clad
 Exterior Finish-Standard Color AAMA 2603
 Ext Frame Color-Brick Red
 Exterior Casing-No Exterior Casing
 Sill Type-Fiberglass Sill
 Threshold Type-Fixed
 Sill Protector-No Sill Protector
 Overall Jamb Depth-4 9/16

Int Frame Material-Stain Grade Pine
 Int Frame Stain-No Interior Stain
 Panel Type-Full Lite Panels
 Panel Code-SF0080FL
 Panel Glass Style-Non-Decorative Glass
 Panel Glass-Zo-E Shield 5
 Panel Glass Options-No Glass Tint Option
 Gas-Argon
 Lite Configuration-1 Lite
 Cut Style-Colonial
 Deadbolt Bore-Multi-Point Lock Prep
 Lock Options-5 Point Lock
 Handle Style-Classic Curve
 Hardware Finish-Polished Brass

Additional Item Comments
 TO BE TEXTURED PNLS ..FLUSH GLAZE
 TO MULL TO LEFT OF ITEM 33

PO:
 JOB NAME: LYTLE
 LOCATION: FAMILY RM

Item Number: 37
 Quantity: 1
 Total Jamb To Jamb: 37 3/8 X 81 29/32
 Total Rough Opening: 38 3/8 X 82 13/32



Entrance Doors Set Up
 Entrance Door 1 Panel
 Rectangle
 Door Category-Fiberglass Door
 Door Collection-Rustic
 Call Out Width-3-0
 Call Out Height-6-8
 Custom Cut Down Height-0
 Swing Option-Inswing
 Operating Code-Right Hand
 Ext Frame Finish-Aluminum Clad
 Exterior Finish-Standard Color AAMA 2603
 Ext Frame Color-Brick Red
 Exterior Casing-No Exterior Casing
 Sill Type-Fiberglass Sill
 Threshold Type-Adjustable
 Sill Protector-No Sill Protector
 Overall Jamb Depth-4 9/16

Int Frame Material-Stain Grade Pine
 Int Frame Stain-No Interior Stain
 Panel Type-No Glass Panels
 Panel Code-RU1P
 Deadbolt Bore-Double Bore 5 1/2" Ctr to Ctr
 Lock Options-No Lockset
 Handle Style-No Handle
 Backset Boring-2 3/4" Backset
 Hinge Type-Standard Butt Hinge
 Hinge Finish-Oil Rubbed
 Drill for Peep Site-No Peep Site Prep
 Screen-No Screen

PO:
 JOB NAME: LYTLE
 LOCATION: GARAGE




Grand View Windows and Doors
 2409 N Council Rd
 Bethany, Ok 73008
 Phone: 405 787-0230
 Fax: 405 384-4588

QUOTE DETAIL
 Project Number: 144
 Printed: 12/15/2009 3:52:47 PM

Item Number: 38
 Quantity: 1
 Total Jamb To Jamb: 141 1/4 X 97 3/16
 Total Rough Opening: 142 X 97 11/16

Weather Shield
 French Sliding Patio 41
 Rectangle
 Product ID-8702
 Standard Size-Yes
 Sizing Method-Call Out
 Call Out Width-11-10
 Call Out Height-8-2
 Jamb Width-141 1/4
 Jamb Height-97 3/16
 R/O Width-142
 R/O Height-97 11/16
 Glass Width-27 1/16
 Glass Height-83 5/16
 Operating Code-OXXO
 Exterior Frame Finish-Aluminum Clad
 Exterior Insert Finish-Aluminum Clad
 Aluminum Paint Finish-Standard

Exterior Color-Brick Red
 Interior Material-Alder
 Glass Type-Zo-E Shield 5
 Gas-Argon
 Lite Configuration-1 Lite
 Lock Option-3 Point Lock System
 Lockset Style-Ashland Arch Top Escutcheon
 Lockset Color-Oil Rubbed Bronze
 Keyed Locks-Keyed Alike
 St. Steel Mortise Lock/Kpr-Yes
 Screen-Yes
 Screen Color-Brick Red
 Screen Track Color-Brick Red
 Frame Assembly-KD



Additional Item Comments
 TO BE CHARACTER ALDER TO MATCH ALL OTHER FC INTERIORS

PO:
 JOB NAME: LYTLE
 LOCATION: FITNESS RM

Item prices and total prices may not include all option charges.
Refer to Schield Family Brands Acknowledgement for updated pricing.





Grand View Windows and Doors an independent, authorized dealer of Weather Shield Windows & Doors

Project Number: 144

The undersigned orders the items in the quote, acknowledges that this is a custom order, and agrees as follows:

- * All have been reviewed and the specifications are correct (including - but not limited to):

Quantities, Sizes, Accessories, Swings, Jambs, Glass Types, Colors, Etc.

- * These are custom items and as such, cannot be returned.
- * To accept and abide by the terms noted below.

The dealer's placement of an order pursuant to this quote creates an agreement between the dealer and Weather Shield Mfg., Inc. Weather Shield is not a party to any agreement between the dealer and its customer for the sale of these items. Weather Shield's only obligation to the dealer's customer shall be the express written limited warranty. All other obligations to the dealer's customer shall be the dealer's sole responsibility.

Sign Off Notes:

APPROVED BY:
DATE:

Thank You for Choosing Weather Shield Products!

